

Switch, X Series, 15A, single pole, 3 way, white, 10 pc order qty

SQR14130WH

Main

Range	Square D X Series	
Product or component type	Switch	
Device application	Control	
Device presentation	Mechanism with fixing frame	
Aesthetic name	X Series	

Complementary

Actuator	Rocker	
Number of modules	1	
Colour tint	white	
Number of rocker	1	
Number of gangs	1 gang	
Number of poles	1	
Switch function	3-way	
[le] rated operational current AC	15 A	
[Ue] rated operational voltage	120 V	
Network type	AC	
Network frequency	60 Hz	
Mounting mode	By screws	
Device mounting	Flush	
Material	Plastic: strap	
Colour	White	
Surface finish	Matt	
Connections - terminals	Phase and neutral 2 screw terminal AWG 14AWG 12) copper	
Earth circuit	Self earthing	
Market segment	Residential	
Targeted channel	Distributor	

Environment

Standards	UL 20	
Product certifications	cULus	

Packing Units

•	
Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	1.50 in (3.8 cm)
Package 1 Width	1.46 in (3.7 cm)
Package 1 Length	4.17 in (10.6 cm)
Package 1 Weight	2.6 oz (72.7 g)
Unit Type of Package 2	BB1
Number of Units in Package 2	10
Package 2 Height	3.35 in (8.5 cm)
Package 2 Width	4.29 in (10.9 cm)
Package 2 Length	7.60 in (19.3 cm)
Package 2 Weight	27.8 oz (788 g)
Unit Type of Package 3	CAR
Number of Units in Package 3	100
Package 3 Height	8.35 in (21.2 cm)
Package 3 Width	9.33 in (23.7 cm)
Package 3 Length	17.52 in (44.5 cm)
Package 3 Weight	18.70 lb(US) (8.48 kg)

Contractual warranty

Warranty 2 years



Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing "Use Better, Use Longer, Use Again" campaign to extend product lifetimes and recyclability.

Environmental Data explained >

How we assess product sustainability >

Use Better

Packaging made with recycled cardboard	No
Packaging without single use plastic	No
EU RoHS Directive	Compliant
REACh Regulation	REACh Declaration

Use Again

○ Repack and remanufacture	
Circularity Profile	No need of specific recycling operations
Take-back	No