# Fiche produit Caractéristiques

## VLSH2H5RD

TeSys VLS - rot. handle - holefixing - red - shaft 5 mm - 65x65 mm - defeatable



## Principal

Gamme	TeSys	
Nom abrégé de l'appareil	VLSH	
Fonction produit	Poignée rotative	
Compatibilité de gamme	TeSys VARIO LS VLS3P	
Couleur de poignée	RED	
Couleur du plastron de la commande	Jaune	
Rotary handle padlocking	1 à 3 cadenas, with diameter 48 mm	
Marquage	0 - 1	

### Complémentaire

Mode de fixation	Hole, with diameter 22.5 mm	
Couple de serrage	2.3 N.m	
Dimension de base	65 x 65 mm	
Hauteur	65 mm	
Largeur	65 mm	
Profondeur	72.5 mm	
Poids	0.064 kg	
Code de comptabilité	VLS	

#### Environnement

Degré d'étanchéité IP	IP65
Tenue à l'environnement NEMA	NEMA 2 for use with device conforming to UL 508
	NEMA 3R for use with device conforming to UL 508
	NEMA 4 for use with device conforming to UL 508
	NEMA 4X for use with device conforming to UL 508
	NEMA 12 for use with device conforming to UL 508
	NEMA 12K for use with device conforming to UL 508
	NEMA 1

#### Offre de la durabilité

RoHS (code date: AnnéeSemaine)	Conforme - depuis 1441 - Schneider Electric declaration of conformity & Sch-
	neider Electric declaration of conformity

Product Lite Status :	Commercialise
-----------------------	---------------