

### Main

|                                       |  |
|---------------------------------------|--|
| Range of product                      | Telemecanique Safety light curtains XUSL                   |
| Accessory / separate part category    | Protection accessories                                     |
| Accessory / separate part type        | Protective screen  |
| Product compatibility                 | XUSL.E...166   |
| Accessory / separate part destination | Safety light curtain type 4<br>Safety light curtain type 2 |
| Height                                | 66.73 in (1695 mm)   |
| Quantity per set                      | Set of 4   |

### Complementary

|  |                       |
|--|-----------------------|
| Material                               | Polycarbonate         |
| Sensing distance reduction coefficient | 0.97 Sn               |
| Net weight                             | 1.50 lb(US) (0.68 kg) |

### Environment

|                                       |   |
|---------------------------------------|---|
| Resistance to chemical agents         | Resistant alkalis<br>Resistant to inorganic diluted acids<br>Resistant aqueous solutions<br>Resistant detergents and cleaners |
| Ambient air temperature for operation | 14...131 °F (-10...55 °C)<br>14...131 °F (-10...55 °C)  |
| Ambient air temperature for storage   | -13...158 °F (-25...70 °C)<br>-13...158 °F (-25...70 °C)  |

### Packing Units

|                              |     |
|------------------------------|-----|
| Unit Type of Package 1       | PCE |
| Number of Units in Package 1 | 1   |


|                  |                      |
|------------------|----------------------|
| Package 1 Weight | 5.07 lb(US) (2.3 kg) |
| Package 1 Height | 5.51 in (14 cm)      |
| Package 1 width  | 7.87 in (20 cm)      |
| Package 1 Length | 71.26 in (181 cm)    |

## Offer Sustainability

|                            |   |
|----------------------------|---|
| Sustainable offer status   | Green Premium product   |
| REACH Regulation           | <a href="#">REACH Declaration</a>   |
| REACH free of SVHC         | Yes   |
| EU RoHS Directive          | Pro-active compliance (Product out of EU RoHS legal scope)<br><a href="#">EU RoHS Declaration</a> |
| Toxic heavy metal free     | Yes   |
| Mercury free               | Yes   |
| RoHS exemption information | <a href="#">Yes</a>   |
| Environmental Disclosure   | <a href="#">Product Environmental Profile</a>   |
| Circularity Profile        | <a href="#">End of Life Information</a>   |

Mounting and Clearance

Various Stages in the Protective Screen Assembly



(1) Depending on the length