# 9001BG316

Push button, Type B, standard duty control station, 5A, 600VAC, START/JOG/STOP, NEMA 1

Green Premium™ Product

## Main

| | |
|---|---|
| Range of Product | Harmony 9001B |
| Product or Component Type | Complete control station |
| Device short name | 9001BG |
| Control station application | Three functions |
| Colour of base of enclosure | Grey |

## Complementary

| | |
|---|---|
| Material | Cast zinc |
| Marking | CE |
| Type of operator | momentary |
| Control station composition | 3 push-buttons, white START-JOG-STOP |
| Contacts type and composition | 2 NO + 3 NC |
| Mechanical durability | 5000000 cycles |
| [Ie] rated operational current | 5 A 600 V, AC |
| Device mounting | Surface |
| Type of Installation | Indoor |

## Environment

| | |
|---|---|
| Ambient Air Temperature for Storage | -40…158 °F (-40…70 °C) |
| Ambient Air Temperature for Operation | -13…158 °F (-25…70 °C) |
| NEMA degree of protection | NEMA 1 |
| Product Certifications | UL listed file E42259 CCN NKCR[RETURN]CSA LR25490 class 3211 03 |

## Ordering and shipping details

| | |
|---|---|
| Category | 21421-9001 B (NOT BW70 - BW80) |
| Discount Schedule | CS1 |
| GTIN | 785901794240 |
| Returnability | No |
| Country of origin | MX |

## Packing Units

| | |
|---|---|
| Unit Type of Package 1 | PCE |
| Number of Units in Package 1 | 1 |
| Package 1 Height | 12.70 in (32.258 cm) |
| Package 1 Width | 5.00 in (12.7 cm) |
| Package 1 Length | 32.26 in (81.935 cm) |
| Package 1 Weight | 16.00 oz (453.592 g) |

## Offer Sustainability

| | |
|---|---|
| Sustainable offer status | Green Premium product |
| California proposition 65 | WARNING: This product can expose you to chemicals including: Nickel compounds, which is known to the State of California to cause cancer, and Di-isodecyl phthalate (DIDP), which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov |
| REACh Regulation | REACh Declaration |
| REACh free of SVHC | Yes |
| EU RoHS Directive | Pro-active compliance (Product out of EU RoHS legal scope) EU RoHS Declaration |
| Toxic heavy metal free | Yes |
| Mercury free | Yes |
| China RoHS Regulation | China RoHS Declaration |
| RoHS exemption information | Yes |
| Environmental Disclosure | Product Environmental Profile |
| Circularity Profile | End Of Life Information |

## Contractual warranty

| | |
|---|---|
| Warranty | 18 months |

## Approximate Dimensions



0.47 (12)

2.76 (70)   3.69 (94)

0.34 (9)   0.72 (18)

0.48 (12)

1.38 (35)

2.34 (60)

(2) 0.19 (5) Dia Mtg Holes

0.45 (12)

4.09 (104)   5.00 (127)

0.34 (9)   0.72 (16)

0.48 (12)

1.38 (35)

2.34 (60)

(2) 0.19 (5) Dia Mtg Holes

2.06 (52)

1.03 (26)

0.17 (4)

2.53 (64)

0.88 (22)

K.O. for 1/2-3/4 cond. both ends

2.06 (52)

1.03 (26)

0.17 (4)

2.19 (56)   2.41 (61) with mushroom button

0.88 (22)

K.O. for 1/2-3/4 cond. both ends