

# Eaton CRL630P

Catalog Number: CRL630P

Eaton corrosion resistant locking plug, #14-10 AWG, 30A, Industrial, 250V, Back wiring, Yellow, Safety grip, Corrosion resistant, L6-30, Two-pole, Three-wire, Thermoplastic, 0.38 to 1 in

## General specifications



Product Name	Catalog Number
Eaton Arrow Hart corrosion resistant locking plug	CRL630P
	UPC
	040893678443
Product Length/Depth	Product Height
2 in	2.34 in
Product Width	Product Weight
2.12 in	0.38 lb
Compliances	Certifications
RoHS Compliant	cULus Listed
	NOM
	CSA certified

## Electrical Ratings

### Amperage Rating

30A

### NEMA configuration

L6-30

### Operating temperature

-20 to 75 °C (-4 to 167 °F)

### Torque rating

14-16 lbf-inch

### Voltage rating

250 V

### Wiring method

Back

## Environmental Specifications

### Environmental conditions

Corrosion resistant

### Environmental resistance

Corrosion resistant

## Material Specifications

### Color

Yellow

### Contact material

Nickel plated brass

### Face/body material

Nylon

### Material

Nylon

## Product Specifications

### Allowable wire size

#14-8 AWG

### Application

Industrial

### Cord diameter

0.38-1 in (9.5 mm-25.4 mm)

### Design type

Industrial grip

### Device grade

Extra heavy-duty industrial specification grade

### Number Of Poles

Two-pole

### Type

Locking plug

## Resources

### Brochures

[Complex environment devices brochure](#)

### Specifications and datasheets

[Eaton Specification Sheet - CRL630P](#)



Eaton Corporation plc  
Eaton House  
30 Pembroke Road  
Dublin 4, Ireland  
Eaton.com  
© 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are  
property of their respective  
owners.



[Eaton.com/socialmedia](https://Eaton.com/socialmedia)