Product datasheet

Specifications





Rear panel, PanelSeT SFN, for electrical enclosure H2200 W1200mm, external fixing

NSYBPN2212

EAN Code: 3606486104743

Main

Range	PanelSeT
Accessory / Separate Part Category	Enclosure accessory
Product Or Component Type	Rear panel
Application	Multi-purpose
For Enclosure Nominal Dimensions	- H: 2200 mm W: 1200 mm
Mounting Location	Rear of enclosure

Complementary

Range Compatibility	PanelSeT PanelSeT SFN
Device Composition	fixing elements 1 rear panel
Material	Steel
Net Weight	90.9 kg
Colour	Grey (RAL 7035)
Surface Finish	Epoxy-polyester powder
Fixing Mode	By screws - screw type captive - from the outside of enclosure location
Height	2200 mm nominal:
Width	1200 mm nominal:

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	220 cm
Package 1 Width	120 cm
Package 1 Length	4 cm
Package 1 Weight	36 kg
Unit Type Of Package 2	P2M
Number Of Units In Package 2	10
Package 2 Height	120 cm
Package 2 Width	220 cm
Package 2 Length	53 cm
Package 2 Weight	388 kg

Contractual warranty

Warranty

18 months



Green PremiumTM **label** is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >





Transparency RoHS/REACh

Well-being performance

	Reach Free Of Svhc	
Ø	Mercury Free	
②	Rohs Exemption Information	Yes

Certifications & Standards

Reach Regulation	REACh Declaration
Eu Rohs Directive	Pro-active compliance (Product out of EU RoHS legal scope) EU RoHS Declaration
China Rohs Regulation	China RoHS declaration Pro-active China RoHS declaration (out of China RoHS legal scope)
Environmental Disclosure	Product Environmental Profile
Circularity Profile	No need of specific recycling operations