

Eaton IG1208W

Catalog Number: IG1208W

Eaton SurgeBloc protection receptacle, Isol grnd, Stand 6" #12 AWG leads, 15A, Comm specif, Wall/flush mnt, Wire leads, 340J, 2 recept, 0° to 40°C, Wht, Brs, Strght blade, Polycarb, 5-15R, Dplx



General specifications

Product Name	Catalog Number
Eaton SurgeBloc protection receptacle	IG1208W
UPC	Product Length/Depth
032664534935	1.96 in
Product Height	Product Width
4.1 in	1.79 in
Product Weight	Certifications
0.295 lb	cULus Listed

defaultTaxonomyAttributeLabel

Device type

Straight blade

Special features

Isolated ground

Type

SurgeBloc protection receptacle

Amperage Rating

15A

Voltage rating

125 V

Contact material

Brass

Joules

340J

Allowable wire size

Standard 6 in #12 AWG leads

NEMA configuration

5-15R

Application

Commercial

Device grade

Commercial

Wiring method

Wire leads

Material

Thermoplastic

Number of receptacles

2

Operating temperature

0 to 40 °C

Number of wires

3

Mounting method

Wall

Flush

Resources

Multimedia

[Mike Holmes approved Eaton Whole Home Surge Protection Products](#)

Specifications and datasheets

[Eaton Specification Sheet - IG1208W](#)

Number Of Poles

Two-pole

Style type

Duplex

Color

White

Face/body material

Polycarbonate

Receptacle type

Two-pole, three-wire, grounding



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com
© 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark.
All other trademarks are property of their respective owners.



Eaton.com/socialmedia