

# Product data sheet

Specifications

SQUARE D



## TRANSFORMER CURRENT 500:5 1-9/16 ID

5NR501

! Discontinued on: 09 January 2023

Product availability : Stock - Normally stocked in distribution facility

! Discontinued

### Main

Product	General Purpose Current Transformer
Certifications	UL Recognized
Ratio	500/5
Enclosure Type	NEMA 1
Phase	1 phase
Power Rating	12.5 VA
Electrical Connection	Flying leads 24 in (609.60 mm), AWG 16
Opening Size	Ø 1.56 in

### Ordering and shipping details

Category	15500-CLASS 4210 CT'S (LC 5101)
Discount Schedule	PA1
GTIN	785901099314
Returnability	Yes
Country of origin	MX

### Packing Units


Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	1.40 in (3.556 cm)
Package 1 Width	4.20 in (10.668 cm)
Package 1 Length	4.20 in (10.668 cm)
Package 1 Weight	19.52 oz (553.383 g)

### Offer Sustainability

California proposition 65	WARNING: This product can expose you to chemicals including: Methanol, which is known to the State of California to cause birth defects or other reproductive harm. For more information go to <a href="http://www.P65Warnings.ca.gov">www.P65Warnings.ca.gov</a>
REACH Regulation	<a href="#">REACH Declaration</a>
REACH free of SVHC	Yes

<b>EU RoHS Directive</b>	Compliant <a href="#">EU RoHS Declaration</a>
<b>Toxic heavy metal free</b>	Yes
<b>Mercury free</b>	Yes
<b>China RoHS Regulation</b>	<a href="#">China RoHS declaration</a> Pro-active China RoHS declaration (out of China RoHS legal scope)
<b>RoHS exemption information</b>	<a href="#">Yes</a>
<b>PVC free</b>	Yes
<b>Halogen content performance</b>	Halogen free plastic parts product
<b>Contractual warranty</b>	
<b>Warranty</b>	18 months

Dimensions



Recommended replacement(s)