


H2,5/19D ZH BL SV

Weidmüller Interface GmbH & Co. KG
Klingenbergstraße 26
D-32758 Detmold
Germany

www.weidmueller.com



- in multi-pack bag (5 x 100 pcs.)
- DIN colour code
- other colour code

General ordering data

Version	Wire-end ferrule, Twin wire-end ferrule, 13 mm, 10 mm, blue
Order No.	9004430000
Type	H2,5/19D ZH BL SV
GTIN (EAN)	4008190099367
Qty.	250 pièce(s)
Packaging	Multipack bag

H2,5/19D ZH BL SV**Weidmüller Interface GmbH & Co. KG**

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

Caractéristiques techniques**Dimensions and weights**

Net weight 0,328 g

Technical data

Description of article Twin wire end ferrule, blue Version Twin wire-end ferrule

Wire-end ferrules

Collar height (A) 8 mm Collar width (B) 4,5 mm

Colour code DIN Conductor cross-section 2,5 mm²

Contact surface diameter (D1) 2,8 mm Contact surface length (L2) 10 mm

L1 in mm 19 mm Metal sleeve thickness (S1) 0,15 mm

Plastic collar thickness (S2) 0,4 mm Stripping length 13 mm

Wire connection cross section AWG, max. AWG 14

Classifications

ETIM 6.0 EC000005 ETIM 7.0 EC000005

ETIM 8.0 EC000005 ETIM 9.0 EC000005

ECLASS 9.0 27-40-02-01 ECLASS 9.1 27-40-02-01

ECLASS 10.0 27-40-02-01 ECLASS 11.0 27-40-02-01

ECLASS 12.0 27-40-02-01 ECLASS 13.0 27-40-02-01

ECLASS 14.0 27-40-02-01

Environmental Product Compliance

RoHS Compliance Status Compliant without exemption

REACH SVHC No SVHC above 0.1 wt%

Approvals

Approvals



ROHS Conform

UL File Number Search UL Website

Certificate no. (cULus) E499744

DownloadsEngineering Data [CAD data – STEP](#)User Documentation [Technical information - EN](#)[Technical information - DE](#)Catalogues [Catalogues in PDF-format](#)

Brochures

Fiche de données

H2,5/19D ZH BL SV

Weidmüller Interface GmbH & Co. KG
Klingenbergstraße 26
D-32758 Detmold
Germany

www.weidmueller.com

Dessins

Drawing

