

Specifications



Photo is representative

Eaton VMVL-3-UNV1-EM1

Eaton Crouse-Hinds series Champ VMVL LED light fixture with emergency back-up, Cool white, 0-10V dimming, No guard, Tempered glass lens, 3000 lumens, 125 lm/W, Copper-free aluminum, No mounting module, Type V, 100-277 Vac, 30W

General specifications

PRODUCT NAME	Eaton Crouse-Hinds series Champ VMVL LED light fixture with emergency back-up
CATALOG NUMBER	VMVL-3-UNV1-EM1
PRODUCT LENGTH/DEPTH	13.13 in
PRODUCT HEIGHT	15.68 in
PRODUCT WIDTH	12.75 in
PRODUCT WEIGHT	32.7 lb



Powering Business Worldwide

Certifications and compliances

AREA CLASSIFICATION Hazardous/Classified Locations

Product specifications

LUMENS 3000

STANDARDS TYPE	NEC/CEC
NEC HAZARDOUS RATING	Class I, Division 2 Class I, Zone 2 Class II, Division 1 Class III
NEMA RATING	4X
INGRESS PROTECTION (IP) RATINGS	IP66

LUMENS PER WATT	125
COLOR TEMPERATURE	Cool white
MOUNTING METHOD	No mounting module
OPTICAL DISTRIBUTION	Type V
GUARD TYPE	No guard
VOLTAGE RATING	100-277 Vac
MATERIAL	Cast copper-free aluminum
LENS MATERIAL	Tempered glass
SPECIAL FEATURES	Emergency driver system
DIMMING	0-10 V
FREQUENCY RATING	50/60 Hz
POWER FACTOR	> 0.90
WATTAGE	30W

Resources

3D MODELS	SP3D Design Package - Champ VMVL EM with Emergency Back-up Battery
BROCHURES	Champ VMVL LED with Emergency Back-up Battery flyer
CATALOGUES	Crouse-Hinds series Champ VMVL LED with Emergency Back-up catalog page
INSTALLATION INSTRUCTIONS	IF 1916 - Champ VMVL Emergency LED Luminaires IF 1920 - Champ VMVL and PVML Emergency LED Battery and Driver Replacement Kit
SPECIFICATIONS AND DATASHEETS	Eaton Specification Sheet - VMVL-3-UNV1-EM1

PROJECT NAME:

PROJECT NUMBER:

PREPARED BY:

DATE:



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2025 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.

Follow us on social media to get the latest product and support information.

