

# PanelSeT SFM plain partial door - 1000x600 mm - 20M

NSYMPD20M6

## Main

Range	PanelSeT
Accessory / separate part category	Enclosure accessory
Product or component type	Partial door
Application	Compartmentalised application
For enclosure nominal dimensions	- W: 23.6 in (600 mm)
Total number of 50 mm modules	20
Mounting location	Front
Range compatibility	PanelSeT PanelSeT SFM
Device composition	1 partial door 2 hinges 1 5 mm double bar insert
Quantity per set	Set of 1

## Complementary

Material	steel
Colour	grey RAL 7035)
Surface finish	Epoxy-polyester powder
Lock type	Lock 5 mm double bar
Number of locks	1
Door type	External plain
Door opening side	Reversible 120 °)
Height	Nominal: 39.4 in (1000 mm)
Width	Nominal: 23.6 in (600 mm)

## **Packing Units**

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	39.76 in (101.000 cm)
Package 1 Width	22.83 in (58.000 cm)
Package 1 Length	2.76 in (7.000 cm)
Package 1 Weight	23.964 lb(US) (10.870 kg)
Unit Type of Package 2	P12

Number of Units in Package 2	10
Package 2 Height	33.86 in (86.000 cm)
Package 2 Width	31.50 in (80.000 cm)
Package 2 Length	47.24 in (120.000 cm)
Package 2 Weight	265.988 lb(US) (120.650 kg)



Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing "Use Better, Use Longer, Use Again" campaign to extend product lifetimes and recyclability.

#### Environmental Data explained >

How we assess product sustainability >

∅ Environmental footprint	
Carbon footprint (kg CO2 eq, Total Life cycle)	77
Environmental Disclosure	Product Environmental Profile

### **Use Better**

<b>⊗</b> Materials and Substances	
Packaging made with recycled cardboard	No
Packaging without single use plastic	No
SCIP Number	52da316e-d4e1-4114-85c0-32a03b2934fd
China RoHS Regulation	China RoHS declaration

### **Use Again**

○ Repack and remanufacture	
Circularity Profile	No need of specific recycling operations
Take-back	No