

RED HELIX™ Cobalt Drill Bits

Milwaukee® Cobalt RED HELIX™ Drill Bits are engineered for extreme durability and long life in hard metal applications. Designed with a Variable Helix ™ that includes an aggressive 35° Helix Angle which ends at 15°, the Cobalt bits with RED HELIX™ provide Rapid Chip Removal™ limiting heat buildup to Stay Sharper Longer™. The 135° split point tip delivers a precision start and prevents walking for fast, accurate holes. Ideal for tough applications and provide Up to 10X life vs. Black Oxide Drill Bits™ but can be used in all twist drilling applications.

Close

PRODUCT SPECIFICATIONS

Pack Qty	1 Pack FEATURES / SPECS	REFINE OPTIONS		
Coating	REVIEWS			
Application		Wood Stainless Steel Metal Plastic PVC		
Diam	eter			
	1/16"	5/64"		
	3/32"	7/64"		
	1/8"	9/64"		
	170	3/04		
	5/32"	11/64"		
	0 (4 0	40/04#		
	3/16"	13/64"		
	7/32"	15/64"		
	1/4"	17/64"		
	9/32"	19/64"		
	5/16"	21/64"		
	11/20"	22/64"		

3/8"	25/64"
13/32"	27/64"
7/16"	29/64"
15/32"	1/2"

Variable HelixChip BreakerShank

Round 3-Flat

3/8" Reduced 3-Flat

Item Category Number	Diameter	Variable Helix	Chip Breaker	Shank	
					Where
48-89-2313	1/4"	Χ	Χ	3-Flat	To Buy