



RAZOR^{SERIES}

ULTRA THIN RECESSED DOWNLIGHT



RAZOR



RAZOR-R



RAZOR-G



RAZOR-S

RAZOR

RECESSED DOWNLIGHT SERIES BY NDR

The Razor series' ultra-slim design is perfect for any small space and allows for flexible installation, particularly in confined areas or when facing constraints such as beams, ceiling joists or air ducts.

Razor models come in a wide variety of shapes, finishes and color temperatures. They combine high lumen output with low power consumption and offer an elegant, contemporary look to residential and commercial indoor lighting.

4 COLOR TEMPERATURES AND SELECTABLE CCT

27 K, 3 K, 4 K and 5 K
CCT: 3 K, 4 K and 5 K

RATINGS AND CERTIFICATIONS

Airtight rated ASTM E283-04
IC rated
WET location rated
Fire rated FT4/FT6 wires (UL 2464)
ETL certified for USA and Canada



EASY INSTALLATION

Each unit includes a junction box with driver, pressure-fit spring clips and Quick Connect wire connectors for fast and easy installation

Heavy duty mounting clips are designed for sturdy installation and prevent springs from falling off during installation

Large flange feature allows for compensation if hole cut-outs are done incorrectly



4 FINISHES

White, black, satin chrome and bronze

WARRANTY AND LED LIFE

Razor models come with 5 year warranty and a 50 000-hour LED life

RAZOR·CCT

INTRODUCING: SELECTABLE COLOR TEMPERATURE

THE EVOLUTION OF THE RAZOR FAMILY CONTINUES!

The new Razor-CCT series offers a selectable color temperature feature. With a simple flick of the switch, this feature offers the user the choice of 3 color temperatures. For ease of color selection, the switch is located on the light unit instead of the junction box and still allows the unit to slip under a joist application.

No worries of which color temperature to select prior to your final install; select the color once everything is completed and your light unit is ready to go in!

This wet rated collection is offered in our most popular designs, flat or recessed, in either a 4" or 6" version for both.



RAZOR SIZE & MODELS

4"

680 lumens

RZR-CCT-400-10W

6"

1000 lumens

RZR-CCT-600-13W

RAZOR-R SIZE & MODELS

4"

850 lumens

RZR-CCT-411-10W

6"

1100 lumens

RZR-CCT-611-13W



CCT SWITCH

SELECTABLE COLOR TEMPERATURE

3K | 4K | 5K

FINISH




WHITE RAZOR



WHITE RAZOR-R

*Available in a 277V option



IC/AIRTIGHT
RATED



RAZOR

LED ULTRA THIN RECESSED DOWNLIGHT

The first model in the collection, this traditional style is wet rated and provides numerous design functions. Razor's low profile allows the light unit to slip under a joist. Whether a home or commercial application, its superior brightness and low power usage offer the ideal lighting solution.

SIZE & MODELS

3"	4"	5"	6"	8"
450 lumens	600 lumens	780 lumens	950 lumens	1420 lumens
RZR-300-6W	RZR-400-9W	RZR-500-11W	RZR-600-12W	RZR-800-18W

COLOR TEMPERATURE

27 K | 3 K | 4 K | 5 K

FINISH



*Available in a 277V option
**277V not available in 3" size



IC/AIRTIGHT
RATED



RAZOR-R

LOW PROFILE REGRESSED RECESSED DOWNLIGHT **LED**

The Razor-R series takes illumination to the next level, featuring a design and look that create a wash of light to flow throughout, with minimal hot spots on the ceiling. **This improved Razor-R provides higher performance resulting in greater lumen output, while increasing the lumen per watt efficiency.** Wet location rated.

SIZE & MODELS

4"

750 lumens

RZR-411-9W

6"

1100 lumens

RZR-611-12W

COLOR TEMPERATURE

27 K | 3 K | 4 K | 5 K

FINISH



WHITE



BLACK




SATIN CHROME



BRONZE

*Available in a 277V option



IC/AIRTIGHT
RATED



WET
LOCATIONS

RAZOR-S

LED ULTRA THIN RECESSED SQUARE DOWNLIGHT

The contemporary looking Razor-S series has all the benefits of the original Razor. The square design enables unlimited design applications, using cutting-edge installation techniques. All Razor-S units are wet rated and offer a round back feature, making hole cut-outs much easier and quicker than the standard square back versions.

SIZE & MODELS

4"	6"
650 lumens RZR-430-9W	950 lumens RZR-630-12W

COLOR TEMPERATURE

3K | **4K** | **5K**

FINISH



*Available in a 277V option



ROUND BACK



IC/AIRTIGHT
RATED



RAZOR·G

LOW PROFILE GIMBAL RECESSED DOWNLIGHT **LED**

The Razor-G series improves on the original concept by being able to direct the light output where needed. This unit is wet rated and is perfect for highlighting specific needs, such as a sloped ceiling application.

SIZE & MODELS

4"

600 lumens

RZR-420-9W

COLOR TEMPERATURE

3K | 4K | 5K

FINISH



WHITE



BLACK



SATIN CHROME

*Available in a 277V option



IC/AIRTIGHT
RATED



WET
LOCATIONS



www.ndrelectric.com

t. 514.695.8228 t.f. 1.855.739.8228 f. 514.695.9009