



Catalog N°:
YAL6CT10

BURNDY Catalog Number	YAL6CT10
UPC Number	781810417577
Description	CDN 6STR SHORT 10STUD
Status	Active
Web Use	
BURNDY Product Line	
Dimensional	
Tongue Angle	Straight
Length (in)	1.43
Barrell Style	Chamfered
Bolt Hole Size (in)	0.20
Barrel Type	Standard
Thickness	0.09
B Length (in)	0.75
Pad Width (in)	0.41
General	
Number of Holes	1



Product Description	Copper Compression Lug, 1 Hole w/ Inspection Window, 6 AWG, #10 Stud, Short Barrel, Tin Plated
Conductor(s)	
Flex (Class G) Size - Range	N/A
Flex (Class H) Size - Range	N/A
Flex (Class I) Size - Range	N/A
Copper Solid Size (Range)	N/A
DLO Size (Range)	N/A
Copper Stranded (Range)	6 AWG
Physical	
Type of Plating	Tin - Electro Plated
Bolt Hole Size	#10
Color Code	Blue
Plated (Yes or No)	Y
Index Number	7
Product Material	Copper
Approvals / Certifications	
UL Listed	Y
CSA Certified	Y



ROHS Compatible	Compliant
UL Recognized	N
CULUS	N

