

# ZCE1A

limit switch head ZCE - metal end plunger with silicone boot



## Main

Range of product	Telemecanique Limit switches XC Standard
Series name	Standard format
Product or component type	Limit switch head
Device short name	ZCE
Head type	Plunger head
Product compatibility	XCMD XCKT XCKD XCKP
Associated body	ZCT28N12 ZCMD21M12 ZCT21N12 ZCD25 ZCP29 ZCP31 ZCP26 ZCD26 ZCP21 ZCMD81L2 ZCMD81L1 ZCT25P16 ZCMD29L5 ZCP39 ZCMD39L2 ZCT26N12 ZCT25G11 ZCMD29C12 ZCMD29L2 ZCMD25L2 ZCT27N12 ZCMD41L1 ZCMD37L1 ZCD31 ZCMD81L5 ZCMD61C12

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications.

ZCMD41L2  
 ZCT28G11  
 ZCT26G11  
 ZCMD61M12  
 ZCMD21L08R12  
 ZCMD25L5  
 ZCMD25L1  
 ZCD21  
 ZCMD37L2  
 ZCT27G11  
 ZCMD29L1  
 ZCD37  
 ZCT28P16  
 ZCMD21L5  
 ZCT21P16  
 ZCP29M12  
 ZCD29M12  
 ZCP35  
 ZCD39  
 ZCMD69C12  
 ZCMD41L5  
 ZCMD39L5  
 ZCT21G11  
 ZCMD37L5  
 ZCD35  
 ZCP28  
 ZCMD21C12  
 ZCMD21L2  
 ZCMD39L1  
 ZCP27  
 ZCT26P16  
 ZCP37  
 ZCMD21L1  
 ZCT25N12  
 ZCD29  
 ZCP21M12  
 ZCP25  
 ZCD21M12  
 ZCT27P16  
 ZCD27  
 ZCD28  
 ZCMD21L08U78

Movement of operating head	Linear
Type of operator	End plunger spring return metal with silicone boot)
Type of approach	Vertical approach, 1 direction

### Complementary

Positive opening	With
------------------	------

### Environment

Ambient air temperature for operation	-13...158 °F (-25...70 °C)
Ambient air temperature for storage	-40...158 °F (-40...70 °C)
Environmental characteristic	Standard environment

### Packing Units

Package 1 Weight	0.03 lb(US) (0.014 kg)
Package 1 Height	0.200 dm
Package 1 width	0.300 dm
Package 1 Length	0.450 dm

### Offer Sustainability

Sustainable offer status	Green Premium product
REACH Regulation	<a href="#">REACH Declaration</a>
EU RoHS Directive	Pro-active compliance (Product out of EU RoHS legal scope) <a href="#">EU RoHS Declaration</a>

---

Mercury free	Yes
RoHS exemption information	<a href="#">Yes</a>
Environmental Disclosure	<a href="#">Product Environmental Profile</a>

---

### Contractual warranty

---

Warranty	18 months
----------	-----------

---