

Product Datasheet

Characteristic

ZCE14

limit switch head ZCE - metal end
plunger ajustable



Main

range of product	OsiSense XC
series name	standard format
product or component type	limit switch head
device short name	ZCE
head type	plunger head
product compatibility	XCKD XCKP XCKT XCMD
associated body	ZCD21 ZCD21M12 ZCD25 ZCD26 ZCD27 ZCD28 ZCD29 ZCD29M12 ZCD31 ZCD35 ZCD37 ZCD39 ZCMD21C12 ZCMD21L08R12 ZCMD21L08U78 ZCMD21L1 ZCMD21L2 ZCMD21L5 ZCMD21M12 ZCMD25L1 ZCMD25L2 ZCMD25L5 ZCMD29C12 ZCMD29L1 ZCMD29L2 ZCMD29L5 ZCMD37L1 ZCMD37L2 ZCMD37L5 ZCMD39L1 ZCMD39L2 ZCMD39L5 ZCMD41L1 ZCMD41L2 ZCMD41L5

ZCMD61C12
ZCMD61M12
ZCMD69C12
ZCMD81L1
ZCMD81L2
ZCMD81L5
ZCP21
ZCP21M12
ZCP25
ZCP26
ZCP27
ZCP28
ZCP29
ZCP29M12
ZCP31
ZCP35
ZCP37
ZCP39
ZCT21G11
ZCT21N12
ZCT21P16
ZCT25G11
ZCT25N12
ZCT25P16
ZCT26G11
ZCT26N12
ZCT26P16
ZCT27G11
ZCT27N12
ZCT27P16
ZCT28G11
ZCT28N12
ZCT28P16

movement of operating head	linear
type of operator	end plunger spring return metal (adjustable)
type of approach	vertical approach 1 direction

Complementary

positive opening	with
------------------	------

Environment

ambient air temperature for operation	-13...158 °F (-25...70 °C)
ambient air temperature for storage	-40...158 °F (-40...70 °C)
environmental characteristic	standard environment

Offer Sustainability

Sustainable offer status	Green Premium product
RoHS (date code: YYWW)	Compliant - since 0851 -
REACH	Reference not containing SVHC above the threshold
Product environmental profile	Available
Product end of life instructions	Need no specific recycling operations

Contractual warranty

Warranty period	18 months
-----------------	-----------