



## PGT-10-Pro

Further accessories

**ACCESSORIES**

**SICK**  
Sensor Intelligence.



### Ordering information

Type	Part no.
PGT-10-Pro	1072254

Other models and accessories → [www.sick.com/Further\\_accessories](http://www.sick.com/Further_accessories)

### Detailed technical data

#### Technical specifications

<b>Accessory group</b>	Programming and configuration tools
<b>Description</b>	Programming unit display for programmable SICK DFS60, DFV60, AFS/AFM60, AHS/AHM36 encoders, and wire draw encoder with DFS60, AFS/AFM60 and AHS/AHM36. Compact dimensions, low weight, and intuitive operation.
<b>Suitable for</b>	DFS60, DFV60, AFS/AFM60 SSI, AHS/AHM36 SSI
<b>Dimensions (W x H x L)</b>	81 mm x 32.5 mm x 100 mm

#### Classifications

<b>ECl@ss 5.0</b>	27279211
<b>ECl@ss 5.1.4</b>	27279211
<b>ECl@ss 6.0</b>	27279211
<b>ECl@ss 6.2</b>	27279211
<b>ECl@ss 7.0</b>	27279211
<b>ECl@ss 8.0</b>	27279211
<b>ECl@ss 8.1</b>	27279211
<b>ECl@ss 9.0</b>	19200590
<b>ETIM 5.0</b>	EC001418
<b>ETIM 6.0</b>	EC001418
<b>UNSPSC 16.0901</b>	32151707

### Recommended accessories

Other models and accessories → [www.sick.com/Further\\_accessories](http://www.sick.com/Further_accessories)

	Brief description	Type	Part no.
Plug connectors and cables			
	Head A: female connector, plug-in system, 8-pin, straight Head B: male connector, D-Sub, 9-pin, straight Cable: Incremental, PVC, shielded, 0.5 m	DSL-0D08-G0M5AC3	2061739
	Head A: female connector, M12, 8-pin, straight Head B: male connector, D-Sub, 9-pin, straight	DSL-2D08-G0M5AC2	2048439

	Brief description	Type	Part no.
	Cable: SSI, PUR, halogen-free, shielded, 0.5 m		
	Head A: female connector, M12, 8-pin, straight Head B: male connector, D-Sub, 9-pin, straight Cable: Incremental, shielded, 0.5 m	DSL-2D08-G0M5AC3	2046579
	Head A: female connector, M23, 12-pin, straight Head B: male connector, D-Sub, 9-pin, straight Cable: SSI, drag chain use, PUR, halogen-free, shielded, 0.5 m	DSL-3D08-G0M5AC2	2048440
	Head A: female connector, M23, 12-pin, straight Head B: male connector, D-Sub, 9-pin, straight Cable: Incremental, shielded, 0.5 m	DSL-3D08-G0M5AC3	2046580
	Head A: female connector, M23, 12-pin, straight Head B: male connector, D-Sub, 9-pin, straight Cable: SSI, drag chain use, PUR, halogen-free, shielded, 0.5 m	DSL-3D08-G0M5AC4	2059270

## SICK AT A GLANCE

SICK is one of the leading manufacturers of intelligent sensors and sensor solutions for industrial applications. A unique range of products and services creates the perfect basis for controlling processes securely and efficiently, protecting individuals from accidents and preventing damage to the environment.

We have extensive experience in a wide range of industries and understand their processes and requirements. With intelligent sensors, we can deliver exactly what our customers need. In application centers in Europe, Asia and North America, system solutions are tested and optimized in accordance with customer specifications. All this makes us a reliable supplier and development partner.

Comprehensive services complete our offering: SICK LifeTime Services provide support throughout the machine life cycle and ensure safety and productivity.

For us, that is “Sensor Intelligence.”

## WORLDWIDE PRESENCE:

Contacts and other locations –[www.sick.com](http://www.sick.com)