URGMPLUGD



Ultra Low Loss (ULL) Singlemode MPO12 (Unpinned) to LC Uniboot, Fiber Extension Cable Assembly, 12-Fiber, Low Smoke Zero Halogen

Product Classification

Regional Availability

Asia | Australia/New Zealand | Europe | Latin America | Middle East

/Africa | North America

Portfolio CommScope®

Product Type Fiber array cable assembly

Product Brand SYSTIMAX ULL

Ordering Note For additional jacket colors, please contact a CommScope Sales Representative | For

lengths greater than 999 ft (304 m), orders must be in meters | Minimum length may

vary based on cable configuration

General Specifications

Color, boot ABlackColor, boot BBlueColor, connector AGreen

Color, connector B Blue

Construction Type Stranded

Fibers per Subunit, quantity 12

Furcation Color Yellow

Interface, Connector A MPO-12/APC

 Interface, Connector B
 LC/UPC

 Interface Feature, connector B
 Uniboot

 Jacket Color
 Yellow

Polarity Method B Enhanced (ULL)

Total Fibers, quantity 12

Dimensions


COMMSCOPE®

URGMPLUGD

Cable Assembly Length Range (m) 1 - 305

Cable Assembly Length Range (ft) 10 - 999

Ordering Tree



Mechanical Specifications

Cable Retention Strength, maximum 11.24 lb @ 0 $^{\circ}$ | 4.40 lb @ 90 $^{\circ}$

Optical Specifications

Fiber Mode Singlemode

Fiber Type G.657.A2, TeraSPEED®

Environmental Specifications

Operating Temperature $-10 \,^{\circ}\text{C} \text{ to } +60 \,^{\circ}\text{C} \text{ (+14 }^{\circ}\text{F to } +140 \,^{\circ}\text{F)}$

Environmental Space Indoor | Low Smoke Zero Halogen (LSZH)

Regulatory Compliance/Certifications

Agency	Classification
CHINA-ROHS	Above maximum concentration value
ISO 9001:2015	Designed, manufactured and/or distributed under this quality management system
REACH-SVHC	Compliant as per SVHC revision on www.commscope.com/ProductCompliance
ROHS	Compliant/Exempted



URGMPLUGD





Included Products

760237972 – Low Smoke Zero Halogen Riser Light Duty MPO Patchcord Cable, 12

N-012-MP-8G1-F30YL/D fib

860638318 - MPO12, ULTRA LOW LOSS, FEMALE, SM, GREEN, 3mm

860650412 - TeraSPEED® LC UniBoot 2.0MM UPC/LC UNIBOOT CONNECTOR KIT

