



Catalog N°:
YA6C2N

BURNDY Catalog Number	YA6C2N
UPC Number	781810501818
Description	CULUG- 6 STR-NEMA-LONG
Status	Active
Web Use	
BURNDY Product Line	
Dimensional	
Tongue Angle	Straight
Length (in)	4.40
Tongue Type	Standard
Barrell Style	Chamfered
Bolt Hole Size (in)	0.52
Barrel Type	Long
Thickness	0.12
B Length (in)	1.12
Pad Width (in)	0.83
E - in	1.75





Strip Length	1-3/16
General	
Number of Holes	2
Product Description	Copper Compression Lug, 2 Hole w/o Inspection Window, 6 AWG, 1/2" Stud, 1-3/4" Stud Hole Spacing, Long Barrel, Tin Plated
Conductor(s)	
Flex (Class G) Size - Range	N/A
Flex (Class H) Size - Range	N/A
Flex (Class I) Size - Range	N/A
Copper Solid Size (Range)	N/A
DLO Size (Range)	N/A
Copper Stranded (Range)	6 AWG
Physical	
Type of Plating	Tin - Electro Plated
Bolt Hole Size	1/2
Color Code	Blue
Plated (Yes or No)	Y
Index Number	7,374





Product Material	Copper
Approvals / Certifications	
UL Listed	Y
CSA Certified	Y
ROHS Compatible	Compliant
UL Recognized	N
CULUS	N
Industry Standards	UL468A-468B

