



6" DELUXE UNIVERSAL TC REMODEL HOUSING

INCANDESCENT LAMPS

TC2R

Project: _____

Fixture Type: _____

Location: _____

Contact/Phone: _____

PRODUCT DESCRIPTION

TC Remodel Housing for remodel application where back side of ceiling is not accessible • Installs through an opening in the ceiling from below • Secured in place by factory installed remodel springs • Design for use in non-insulated areas • If installed where insulation is present, the insulation must be pulled back 3" from all sides of the TC housing.

PRODUCT SPECIFICATIONS

Lamp Lamp ratings based on trim selected – see pages 3-4.

Socket Medium base porcelain with nickel-plated copper screw shell
• Drop socket with spring to accommodate certain trim installation.

Trims Trim selection shown on pages 3-4.

Labels UL listed for through-branch wiring, damp locations and IP • Product thermally protected against improper use of lamps or insulation • Union made • UL and cUL listed • Trims 20, 21, 22, 239, 240, 241, 242, 243, 9000 and 9900 are wet location approved for covered ceiling applications • Trims 28, 29 are wet location approved for covered ceiling applications, **when used with outdoor rated lamps.**

Testing All reports are based on published industry procedures; field performance may differ from laboratory performance.



Specifications subject to change without notice.

INSTALLATION

Junction Box Pre-wired junction box, UL and cUL listed for through-branch wiring, maximum 4 No. 12 AWG 90° C branch circuit conductors (2 in, 2 out) • Junction box provided with removable access plate, (5) ½" knockouts, (4) Non-metallic sheathed cable connectors and ground wire • Knockouts equipped with pryout slots.

Housing TC housing, 22-gauge white painted steel • Double stack adjustable feature enables remodel springs to accommodate up to 1¾" ceiling thickness • Adjusts from 7¼" max. height down to 5¼" min. height.

DIMENSIONS



6 3/4" CEILING CUTOUT

PRODUCT CODES

Catalog Number	Input Voltage	Lamp Rating
TC2R 6" Incandescent Remodel Non-IC Housing	120V	A19/A21/BR30/BR40/MR16/PAR16/PAR20/PAR30/PAR30L/PAR38/R20/R30 (See pages 3-4 for max. trim rating)

Housing and trim can be ordered together or separate, but will always ship separately.

6" DELUXE UNIVERSAL TC REMODEL HOUSING

INCANDESCENT LAMPS TC2R

TRIMS/LAMPS

	Catalog Number	Description	Max. Lamp Rating	
‡	 23 BWH	6" Downlight Pinhole with Baffle Trim - Black Baffle, White Trim Ring	50W PAR20/R20	
‡	24 BWH	6" Downlight Tapered Baffle Trim - Black Baffle, White Trim Ring	75W PAR30L, 65W BR30	
* ‡	24 BSC	6" Downlight Tapered Baffle Trim - Black Baffle, Satin Chrome Trim Ring		
	24 BABZ	6" Downlight Tapered Baffle Trim - Black Baffle, Classic Aged Bronze Trim Ring		
	24 BBL	6" Downlight Tapered Baffle Trim - Black Baffle, Black Trim Ring		
	24 WWH	6" Downlight Tapered Baffle Trim - White Baffle, White Trim Ring		
	25 BWH	6" Downlight Straight Baffle Trim - Black Baffle, White Trim Ring	85W BR40, 90W PAR38	
* *	25 BSC	6" Downlight Straight Baffle Trim - Black Baffle, Satin Chrome Trim Ring		
	25 BABZ	6" Downlight Straight Baffle Trim - Black Baffle, Classic Aged Bronze Trim Ring		
	25 BBL	6" Downlight Straight Baffle Trim - Black Baffle, Black Trim Ring		
	25 WWH	6" Downlight Straight Baffle Trim - White Baffle, White Trim Ring		
‡	26 CWH	6" Downlight Straight Cone Trim - Clear Alzak®, White Trim Ring	90W PAR38, 85W BR40	
* *	26 GWH	6" Downlight Straight Cone Trim - Gold, White Trim Ring		
	26 BWH	6" Downlight Straight Cone Trim - Black, White Trim Ring		
	26 PTSC	6" Downlight Straight Cone Trim - Pewter, Satin Chrome Trim Ring		
	26 WWH	6" Downlight Straight Cone Trim - White, White Trim Ring		
	26 HZWH	6" Downlight Straight Cone Trim - Haze, White Trim Ring		
	26 WHZWH	6" Downlight Straight Cone Trim - Wheat Haze, White Trim Ring		
‡	27 CWH	6" Downlight Tapered Cone Trim - Clear Alzak® Cone, White Trim Ring	75W PAR30L, 65W BR30	
* ‡	27 GWH	6" Downlight Tapered Cone Trim - Gold Cone, White Trim Ring		
	27 BWH	6" Downlight Tapered Cone Trim - Black Cone, White Trim Ring		
	27 PTSC	6" Downlight Tapered Cone Trim - Pewter Cone, Satin Chrome Trim Ring		
	27 WWH	6" Downlight Tapered Cone Trim - White Cone, White Trim Ring		
	27 HZWH	6" Downlight Tapered Cone Trim - Haze Cone, White Trim Ring		
	27 WHZWH	6" Downlight Tapered Cone Trim - Wheat Haze Cone, White Trim Ring		
	27 WHZABZ	6" Downlight Tapered Cone Trim - Wheat Haze Cone, Classic Aged Bronze Trim Ring		
	28 BWH ◆◆	6" Downlight Ultra Trim Baffle Fully Enclosed Trim - Black Baffle, White Trim Ring	75W A19, 100W PAR38, 75W PAR30/30L, 85W BR30, 120W BR40	
	28 WWH ◆◆	6" Downlight Ultra Trim Baffle Fully Enclosed Trim - White Baffle, White Trim Ring		
	29 CWH ◆◆	6" Downlight Ultra Trim Cone Fully Enclosed Trim - Clear Cone, White Trim Ring	100W A19, 100W PAR38, 75W PAR30/30L, 85W BR30, 120W BR40	
	29 WWH ◆◆	6" Downlight Ultra Trim Cone Fully Enclosed Trim - White Cone, White Trim Ring		
	230 CBWH	6" Downlight Economy A-Lamp Reflector with Baffle Trim - Clear with Black, Black Trim Ring	100W A19	
	230 CWH	6" Downlight Economy A-Lamp Reflector with Baffle Trim - Clear with White, White Trim Ring		
	232 CWH	6" Downlight A-Lamp Reflector Trim - Clear Alzak®, White Trim Ring	100W A19, 150W A21	
	232 GWH	6" Downlight A-Lamp Reflector Trim - Gold Alzak®, White Trim Ring	100W A19, 150W A21	
	232 WWH	6" Downlight A-Lamp Reflector Trim - White, White Trim Ring	75W A19	
	232 HZWH	6" Downlight A-Lamp Reflector Trim - Haze, White Trim Ring	100W A19, 150W A21	
	232 WHZWH	6" Downlight A-Lamp Reflector Trim - Wheat Haze, White Trim Ring	100W A19, 150W A21	
	233 CWH	6" Downlight A-Lamp Reflector with Black Baffle Trim - Clear Alzak®, White Trim Ring	75W A19	
‡	244S BWH	6" Downlight Shallow Baffle Trim - Black Baffle, White Trim Ring	75W PAR30/30L, 65W BR30	Trim Size: 7 ⁵ / ₈ " O.D. (except Cat. Nos. 228, 229, 241, 9024 - 8" O.D., Cat. No. 9702 - 7 ³ / ₄ " O.D.).
* *	244S WWH	6" Downlight Shallow Baffle Trim - White Baffle, White Trim Ring		
* *	247S CWH	6" Downlight Shallow Cone Trim - Clear Alzak® Cone, White Trim Ring	75W PAR30/30L, 65W BR30	* Use dimmers specifically designed for low voltage magnetic transformers.
	247S GWH	6" Downlight Shallow Cone Trim - Gold Alzak® Cone, White Trim Ring		
	247S BWH	6" Downlight Shallow Cone Trim - Black Alzak® Cone, White Trim Ring		
	247S HZWH	6" Downlight Shallow Cone Trim - Haze Cone, White Trim Ring		
	247S WHZWH	6" Downlight Shallow Cone Trim - Wheat Haze Cone, White Trim Ring		
‡	250 WH	6" Downlight Open Frame Trim - White	65W BR30	‡ Trim may be used with TC2R housing adjusted in lowest (5 ¹ / ₄ ") height position.
	250 SC	6" Downlight Open Frame Trim - Satin Chrome		
	250 ABZ	6" Downlight Open Frame Trim - Classic Aged Bronze		
	251 WH	6" Downlight Open Frame Trim - White	120W BR40, 250W R40 Heat Lamp	◆ UL Listed for use in wet location.
* *	254 BWH	6" Downlight Deep Baffle Trim - Black Baffle, White Trim Ring	75W PAR30, 100W PAR38	◆◆ UL Listed for use in wet location with outdoor rated lamp.
	254 WWH	6" Downlight Deep Baffle Trim - White Baffle, White Trim Ring		** NOTE: TR6 Trim Ring compatible with 24, 25, 26, 27, 244S, 247S, 254, 257, 264, 267, 9900 trims.

6" DELUXE UNIVERSAL TC REMODEL HOUSING

INCANDESCENT LAMPS TC2R

TRIMS/LAMPS (cont.)

	Catalog Number	Description	Max. Lamp Rating		Catalog Number	Description	Max. Lamp Rating
**	 257 CWH	6" Downlight Deep Cone Trim - Clear Alzak® Cone, White Trim Ring	75W PAR30, 100W PAR38		424 BWH	6" Adjustable Pinhole with Baffle Trim - Black Baffle, White Trim Ring	35W MR16
	257 BWH	6" Downlight Deep Cone Trim - Black Alzak® Cone, White Trim Ring					
	257 GWH	6" Downlight Deep Cone Trim - Gold Alzak® Cone, White Trim Ring			427 WWH	6" Adjustable Cylinder Spotlight in Baffle Trim - White Baffle, White Trim Ring	50W MR16
	257 HZWH	6" Downlight Deep Cone Trim - Haze Cone, White Trim Ring					
	257 WHZWH	6" Downlight Deep Cone Trim - Wheat Haze Cone, White Trim Ring					
	 224 BWH	6" Adjustable Gimbal Ring in Baffle Trim - Black Baffle, White Trim Ring	75W PAR38/3 Side Prong				
	224 WWH	6" Adjustable Gimbal Ring in Baffle Trim - White Baffle, White Trim Ring Can also be used w/med. screw base lamps					
‡	 226 BWH	6" Adjustable Cylinder Spotlight in Baffle Trim - Black Baffle, White Trim Ring	60W PAR16				
	226 WWH	6" Adjustable Cylinder Spotlight in Baffle Trim - White Baffle, White Trim Ring					
‡	 228 WH	6" Adjustable Regressed Eyeball Trim - White	50W PAR20/R20				
‡	 229 WH	6" Adjustable Regressed Eyeball Trim - White	75W PAR30L, 65W BR30				
	229 SC	6" Adjustable Regressed Eyeball Trim - Satin Chrome					
	229 ABZ	6" Adjustable Regressed Eyeball Trim - Classic Aged Bronze					
	229 BL	6" Adjustable Regressed Eyeball Trim - Black					
‡	 248 WWH	6" Adjustable Regressed Eyeball in Baffle Trim - White Baffle, White Trim Ring	50W PAR20/R20				
‡	 249 BWH	6" Adjustable Regressed Eyeball in Baffle Trim - Black Baffle, White Trim Ring	75W PAR30L, 65W BR30				
	249 WWH	6" Adjustable Regressed Eyeball in Baffle Trim - White Baffle, White Trim Ring					
**	 264 BWH	6" Adjustable Tapered Baffle Trim - Black Baffle, White Trim Ring	75W PAR30				
	264 WWH	6" Adjustable Tapered Baffle Trim - White Baffle, White Trim Ring					
**	 267 CWH	6" Adjustable Tapered Cone Trim - Clear Alzak® Cone, White Trim Ring	75W PAR30				
	267 GWH	6" Adjustable Tapered Cone Trim - Gold Alzak® Cone, White Trim Ring					
	267 BWH	6" Adjustable Tapered Cone Trim - Black Alzak® Cone, White Trim Ring					
	267 HZWH	6" Adjustable Tapered Cone Trim - Haze Cone, White Trim Ring					
	267 WHZWH	6" Adjustable Tapered Cone Trim - Wheat Haze Cone, White Trim Ring					
	 20 WH ◆	6" Lensed Albalite Trim - White	40W A19				
	20 PW ◆	6" Lensed Albalite Trim - Plastic White					
	240 WH ◆	6" Lensed Albalite with Reflector Trim - White	60W A19				
	240 PW ◆	6" Lensed Albalite with Reflector Trim - Plastic White					
‡	 21 WH ◆	6" Lensed Drop Opal Trim - White	40W A19				
	21 PW ◆	6" Lensed Drop Opal Trim - Plastic White					
	241 WH ◆	6" Lensed Drop Opal with Reflector Trim - White	60W A19				
	241 PW ◆	6" Lensed Drop Opal with Reflector Trim - Plastic White					
	 242 WH ◆	6" Lensed Frosted Lens with Clear Center Trim - White	75W PAR38, 60W PAR38IR				
	242 SC ◆	6" Lensed Frosted Lens with Clear Center Trim - Satin Chrome					
	242 ABZ ◆	6" Lensed Frosted Lens with Clear Center Trim - Classic Aged Bronze					
	 22 WH ◆	6" Lensed Fresnel Trim - White	40W A19				
	 239 WH ◆	6" Lensed Frosted Lens Trim - White	40W A19				
	 261 BWH	6" Wall Wash Scoop Trim -	40W A19				
	261 WWH	6" Wall Wash Scoop Trim -					
	 243 WH ◆	6" Decorative Swirled Etched Opal Glass Trim - White	60W A19				
‡	 9324 SC	6" Decorative Luminous Disc Frosted Trim - Satin Chrome	65W BR30				
‡	 9702	6" Decorative Luminous Collar Frosted Trim - Luminous Collar (Frosted)	75W BR30				
‡	 9024 WWH	6" Decorative Octagonal Trim - White, White Trim Ring	65W BR30				
‡	 9524 SC	6" Decorative Metal Band Trim - Satin Chrome	65W BR30				
**	 9900 WH ◆	6" Decorative Fluted Drop Opal Trim - White	60W A19				

Trim Size: 7⁵/₁₆" O.D. (except Cat. Nos. 228, 229, 241, 9024 - 8" O.D., Cat. No. 9702 - 7³/₄" O.D.).

* Use dimmers specifically designed for low voltage magnetic transformers.

Alzak is a registered trademark of Alcoa Corp.
Note: In Canada when insulation is present, Type IC fixtures must be used.

‡ Trim may be used with TC2R housing adjusted in lowest (5¹/₄" height position.

◆ UL Listed for use in wet location.

◆◆ UL Listed for use in wet location with outdoor rated lamp.

** NOTE: TR6 Trim Ring compatible with 24, 25, 26, 27, 244S, 247S, 254, 257, 264, 267, 9900 trims.