




Main

Accessory / separate part type	Display
Display type	Digital display
Operating position	Any position
Product compatibility	XMLE analogue pressure sensors 0.00...8702.26 psi (0...600 bar) EN 175301-803-A (ex DIN43650) XMLP analogue pressure sensors EN 175301-803-A (ex DIN43650)

Complementary

Net weight	0.22 lb(US) (0.1 kg)
Height	2.60 in (66 mm)
Depth	1.57 in (40 mm)
Width	3.62 in (92 mm)

Environment

Vibration resistance	35 gn 60...2000 Hz) 5 gn 25...200 Hz)
Ambient air temperature for operation	5...176 °F (-15...80 °C)
Standards	CE
Product certifications	UL CSA

Packing Units


Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Weight	4.30 oz (122 g)
Package 1 Height	1.77 in (4.5 cm)
Package 1 width	4.53 in (11.5 cm)
Package 1 Length	3.54 in (9 cm)

Offer Sustainability

REACH Regulation	REACH Declaration
------------------	-----------------------------------

EU RoHS Directive	Pro-active compliance (Product out of EU RoHS legal scope) EU RoHS Declaration
Mercury free	Yes
RoHS exemption information	Yes
Contractual warranty	
Warranty	18 months

Dimensions



(1) $a = 75$