Product data sheet Characteristics

NSYCRN65200 Spacial CRN plain door w/o mount.plate. H600xW500xD200 IP66 IK10 RAL7035..



Main

		ğ
	*	
Main		scooriji o usor andii-arions
Range	Spacial	
Product name	Spacial CRN	ralia to the sea
Device application	Multi-purpose	
Product or component type	Compact enclosure	
Enclosure nominal height	23.62 in (600 mm)	
Enclosure nominal width	19.69 in (500 mm)	
Enclosure nominal depth	7.87 in (200 mm)	 2
Installation accessory type	Wall-mounting	
Device composition	Lock 1	
	Door 1	
	Body 1	
	Cable gland plate 1	
Door type	Plain	a teo for determining of the state for determining of the state st
Mounting plate description	Without mounting plate	ء و و

Complementary

Door type	Plain	
Mounting plate description	Without mounting plate	
Complementary		
Variant particularity	Sides made from a single folded section Back welded with double profile forming a protected sealed area	
Number of doors	1 front face	
Door opening	Reversible 120 °	
Lock type	3 mm double-bar lock	
Type of gland plate	Standard	
Accessibility for operation	Front	
Removable parts	Door by hinges Cable gland plate by screws	
Material	Steel body	
Surface finish	Epoxy-polyester powder	
Colour	Grey RAL 7035	
Standards	IEC 62208	

Jun 08, 2017



Product certifications	CUL UL		

Environment

IP degree of protection	IP66 conforming to IEC 60529
IK degree of protection	IK10 conforming to IEC 62262

Offer Sustainability

Sustainable offer status	Green Premium product	
RoHS (date code: YYWW)	Compliant - since 0940 - Schneider Electric declaration of conformity	
	Schneider Electric declaration of conformity	
REACh	Reference not containing SVHC above the threshold	
	Reference not containing SVHC above the threshold	
Product environmental profile	Available	
	Product Environmental Profile	
Product end of life instructions	Need no specific recycling operations	

Contractual warranty

Warranty period

18 months