

ZCEA7

limit switch head ZCE - spring rod lever
thermoplastic end silicone boot



Main

Range of product	Telemecanique Limit switches XC Standard
Series name	Standard format
Product or component type	Limit switch head
Device short name	ZCE
Head type	Multi-directional head
Product compatibility	XCKP XCKD XCKT XCMD
Associated body	ZCMD21L1 ZCP35 ZCMD39L1 ZCMD37L2 ZCT25P16 ZCD21M12 ZCMD21C12 ZCD37 ZCMD29L2 ZCD28 ZCMD41L5 ZCMD81L5 ZCP21 ZCP39 ZCMD21L08R12 ZCMD81L1 ZCT26P16 ZCT27G11 ZCMD41L2 ZCMD39L5 ZCMD21L2 ZCT25N12 ZCD21 ZCP27 ZCD35 ZCD27

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications.

ZCT25G11
 ZCP21M12
 ZCMD61M12
 ZCD31
 ZCP31
 ZCMD29C12
 ZCP28
 ZCT27N12
 ZCT26G11
 ZCT21P16
 ZCMD21L5
 ZCMD21L08U78
 ZCMD29L1
 ZCT21G11
 ZCMD39L2
 ZCMD61C12
 ZCMD29L5
 ZCMD41L1
 ZCD29M12
 ZCD25
 ZCMD69C12
 ZCMD81L2
 ZCT27P16
 ZCMD25L5
 ZCP37
 ZCP26
 ZCT28P16
 ZCMD25L1
 ZCD29
 ZCP25
 ZCD39
 ZCMD37L1
 ZCT21N12
 ZCMD25L2
 ZCT28N12
 ZCT28G11
 ZCT26N12
 ZCP29
 ZCD26
 ZCMD37L5
 ZCP29M12
 ZCMD21M12

Movement of operating head	Multi-directional
Type of operator	Spring rod spring return metal with silicone boot and thermoplastic end)
Type of approach	Multi-directional approach

Complementary

Switch actuation	By any moving part
Positive opening	Without

Environment

Ambient air temperature for operation	-13...158 °F (-25...70 °C)
Ambient air temperature for storage	-40...158 °F (-40...70 °C)
Environmental characteristic	Standard environment

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Weight	0.56 oz (16 g)
Package 1 Height	0.67 in (1.7 cm)
Package 1 width	0.67 in (1.7 cm)
Package 1 Length	4.92 in (12.5 cm)
Unit Type of Package 2	BAG
Number of Units in Package 2	10

Package 2 Weight	6.95 oz (197 g)
Package 2 Height	1.57 in (4 cm)
Package 2 width	3.94 in (10 cm)
Package 2 Length	5.91 in (15 cm)
Unit Type of Package 3	S01
Number of Units in Package 3	100
Package 3 Weight	4.89 lb(US) (2.22 kg)
Package 3 Height	5.91 in (15 cm)
Package 3 width	5.91 in (15 cm)
Package 3 Length	15.75 in (40 cm)

Offer Sustainability

Sustainable offer status	Green Premium product
RECh Regulation	RECh Declaration
EU RoHS Directive	Pro-active compliance (Product out of EU RoHS legal scope) EU RoHS Declaration
Mercury free	Yes
RoHS exemption information	Yes
Environmental Disclosure	Product Environmental Profile

Contractual warranty

Warranty	18 months
----------	-----------