

fiberglass



SUPER-HEAVY DUTY FIBERGLASS STEP

Meets or exceeds CSA Grade 1AA, ANSI Type 1AA

- Extra heavy duty non-conductive "C" channel side rails in high visibility safety orange
- Super tough copolymer utility top for strength and durability
- Wide 3" slip-resistant serrated aluminum steps for safe climbing
- Inside spreader arms complete with "wrap-around" sleeves that strengthen spreader-to-rail connection and protect spreader arms during storage/loading/transit
- Each step is quad braced with Zinc coated steel diagonal braces providing incredible strength and stiffness
- Full rear "L" horizontal struts reinforced with Zinc coated steel diagonal braces offer maximum rigidity
- Extra large PVC rubber safety boots are heavy duty and provide increased rail protection and slip-resistance

MODEL	SIZE	OPEN HEIGHT	HIGHEST STANDING HEIGHT	BASE WIDTH	BASE DEPTH	APPROX. WEIGHT lbs
6804-AA	4'	45"	23"	20"	32"	19
6805-AA	5'	56"	34"	21"	37"	23
6806-AA	6'	68"	45"	23"	43"	28
6807-AA	7'	79"	56"	24"	50"	33
6808-AA	8'	90"	67"	26"	55"	38
6810-AA	10'	113"	90"	29"	62"	47
6812-AA	12'	135"	112"	32"	79"	64

SUPER-HEAVY DUTY FIBERGLASS 2-WAY STEP

Meets or exceeds CSA Grade 1AA, ANSI Type 1AA

- Extra heavy duty non-conductive "C" channel side rails in high visibility safety orange
- Aluminium top for strength and durability
- Wide 3" slip-resistant serrated aluminum steps for safe climbing
- Inside spreader arms complete with "wrap-around" sleeves that strengthen spreader-to-rail connection and protect spreader arms during storage/loading/transit
- Each step is quad braced with Zinc coated steel diagonal braces providing incredible strength and stiffness
- Extra large PVC rubber safety boots are heavy duty and provide increased rail protection and slip-resistance

MODEL	SIZE	OPEN HEIGHT	HIGHEST STANDING HEIGHT	BASE WIDTH	BASE DEPTH	APPROX. WEIGHT lbs
6603-AA	3'	34"	11"	19"	33"	22
6604-AA	4'	45"	23"	20"	41"	25
6605-AA	5'	57"	34"	22"	49"	30
6606-AA	6'	67"	45"	23"	57"	36
6607-AA	7'	79"	56"	25"	65"	43
6608-AA	8'	90"	67"	26"	73"	49
6610-AA	10'	112"	89"	29"	89"	62
6612-AA	12'	135"	112"	32"	106"	82



SUPER-HEAVY DUTY FIBERGLASS PLATFORM STEP

Meets or exceeds CSA Grade 1AA, ANSI Type 1AA

- Extra heavy duty non-conductive "C" channel side rails in high visibility safety orange
- Large safe and comfortable standing platform, 14" x 18"
- Wide 3" slip-resistant serrated aluminum steps for safe climbing
- Inside spreader arms complete with "wrap-around" sleeves that strengthen spreader-to-rail connection and protect spreader arms during storage/loading/transit
- Each step is quad braced with Zinc coated steel diagonal braces providing incredible strength and stiffness
- Rear horizontal struts reinforced with Zinc coated steel diagonal braces offer maximum rigidity
- Extra large PVC rubber safety boots are heavy duty and provide increased rail protection and slip-resistance

MODEL	SIZE	OPEN HEIGHT	HIGHEST STANDING HEIGHT	BASE WIDTH	BASE DEPTH	APPROX. WEIGHT lbs
6504-AA	4'	46"	24"	21"	30"	16
6505-AA	5'	57"	35"	23"	36"	21
6506-AA	6'	68"	45"	24"	42"	26
6507-AA	7'	79"	56"	25"	47"	31
6508-AA	8'	90"	67"	26"	53"	34
6510-AA	10'	113"	90"	29"	67"	42
6512-AA*	12'	135"	112"	31"	75"	57

*MEETS OR EXCEEDS CSA GRADE 1A, ANSI TYPE 1A, LOAD CAPACITY 375 LBS