

Specifications

Eaton XPLA4-UNV1



Photo is representative

Eaton Crouse-Hinds series Hazard-Gard XPLA linear LED light fixture, Cool white, 4 ft, Glass lens, 8000 lm, 139 lm/W, Copper-free aluminum, 120-277 Vac, 127-300 Vdc, 59W

General specifications

PRODUCT NAME	Eaton Crouse-Hinds series Hazard-Gard XPLA linear LED light fixture
CATALOG NUMBER	XPLA4-UNV1
PRODUCT LENGTH/DEPTH	48.2 in
PRODUCT HEIGHT	4.56 in
PRODUCT WIDTH	6.5 in
PRODUCT WEIGHT	27 lb



Certifications and compliances

AREA CLASSIFICATION Hazardous/Classified Locations

Product specifications

LAMP TYPE LED

STANDARDS TYPE	NEC/CEC
NEC HAZARDOUS RATING	Class I, Division 1 Class II, Division 1 Class III
NEMA RATING	4X
INGRESS PROTECTION (IP) RATINGS	IP66

COLOR TEMPERATURE	Cool white
LAMP LENGTH	4 ft
LUMENS	8000
LUMENS PER WATT	139
VOLTAGE RATING	120-277 Vac, 127-300 Vdc
FREQUENCY RATING	50/60 Hz
LENS MATERIAL	Glass
MATERIAL	Copper-free aluminum
WATTAGE	59W
POWER FACTOR	> 0.90

Resources

BROCHURES

[Crouse-Hinds series Global LED lighting portfolio](#)

[Crouse-Hinds series Hazard-Gard XPLA LED Linear brochure](#)

[Crouse-Hinds series DLC approved lighting products](#)

CATALOGUES

[Crouse-Hinds series Hazard-Gard XPLA LED Linear catalog page](#)

[Hazard-Gard XPLA Explosionproof Linear LED Light Fixtures UL certification](#)

[Hazard-Gard XPLA Explosionproof Linear LED Light Fixtures Canadian certification](#)

CERTIFICATION REPORTS

[Hazard-Gard XPLA Explosionproof Linear LED Light Fixtures UL certification \(XPLA4 with Battery Back-up\)](#)

[Hazard-Gard XPLA Explosionproof Linear LED Light Fixtures Canadian certification \(XPLA4 with Battery Back-up\)](#)

INSTALLATION INSTRUCTIONS

[IF 1905 - Hazard-Gard Linear XPLA LED Fixtures with EM](#)

[IF 1904 - Hazard-Gard XPLA LED Fixtures](#)

SPECIFICATIONS AND DATASHEETS

[Hazard-Gard XPL LED Explosionproof Linear](#)

[Eaton Specification Sheet - XPLA4-UNV1](#)

PROJECT NAME:

PROJECT NUMBER:

PREPARED BY:

DATE:



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2025 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.

Follow us on social media to get the latest product and support information.

