Eaton AHMC340C

Catalog Number: AHMC340C

Eaton manual motor controller, Switch only, #14-8 AWG, 40A, Industrial, Panel, 600V, Side wired, Maintained contact, Black, Open, Three-pole, Three-phase, Toggle, Copper-alloy terminal, Single-throw, Glass-filled nylon





Eaton manual motor controller

UPC

040893653891

Product Height

3.28 in

Product Weight

0.45 lb

Catalog Number

AHMC340C

Product Length/Depth

2.23 in

Product Width

1.66 in

Compliances

RoHS Compliant

NAFTA

Certifications

cULus Listed



defaultTaxonomyAttributeLabel

Enclosure Open Special features Switch only Type Manual motor controller Amperage Rating 40A Voltage rating 600 V **Number Of Poles** Three-pole Phase Three-phase Application Industrial Device grade Industrial Wiring method Side wired Contact type Maintained Switch type Toggle switch Mounting method Panel Closure type Maintained Number of positions

Allowable wire size

Glass-filled nylon

#14-8 AWG

Material

Resources

Catalogs

Arrow Hart Buyers Guide Section E

Specifications and datasheets

Eaton Specification Sheet - AHMC340C

Termination style

Side wired screw and clamp

Throw

Single-throw

Terminals

Copper-alloy, brass screw

Color

Black



Eaton Corporation plc Eaton House 30 Pembroke Road Dublin 4, Ireland Eaton.com

Reserved.

Eaton is a registered trademark.

All other trademarks are © 2024 Eaton. All Rights property of their respective owners.



Eaton.com/socialmedia