



Catalog N°:
YA32

BURNDY Catalog Number	YA32
UPC Number	781810505403
Description	400 CU 1-HOLE LONG 5/8
Status	Active
Web Use	
BURNDY Product Line	
Dimensional	
Tongue Angle	Straight
Length (in)	4.15
Tongue Type	Standard
Barrell Style	Chamfered
Bolt Hole Size (in)	0.66
Barrel Type	Long
Thickness	0.19
B Length (in)	2.12
Pad Width (in)	1.40
Strip Length	2-3/16





General	
Number of Holes	1
Product Description	Copper Compression Lug, 1 Hole w/o Inspection Window, 400 kcmil, 5/8" Stud, Long Barrel, Electro Tin Plated
Conductor(s)	
Flex (Class G) Size - Range	N/A
Flex (Class H) Size - Range	N/A
Flex (Class I) Size - Range	N/A
Copper Solid Size (Range)	N/A
DLO Size (Range)	N/A
Copper Stranded (Range)	400 kcmil
Physical	
Type of Plating	Tin - Electro Plated
Bolt Hole Size	5/8
Color Code	Blue
Plated (Yes or No)	Y
Index Number	19,470
Product Material	Copper





Approvals / Certifications	
UL Listed	Y
CSA Certified	Y
ROHS Compatible	Compliant
UL Recognized	N
CULUS	N
Industry Standards	UL468A-468B

