

## XVBZ04

Fixing base, Harmony XVB, for modular tower lights, plastic, 70mm, 780mm black aluminium support tube + black fixing plate



### Main

Range of Product	Harmony XVB
Accessory / separate part designation	Fixing base
Product or Component Type	Fixing base
Accessory / separate part category	Mounting and fixing accessories
Accessory / separate part destination	Beacons and indicator banks Ø 70 mm

### Complementary

Accessory / separate part type	Fixing base
Product Compatibility	XVBC. XVBL.
Kit composition	Black plastic fixing plate Ø 25 mm aluminium support tube
Height under base unit	30.71 in (780 mm)
Color	Black aluminium
Net Weight	0.72 lb(US) (0.325 kg)

### Ordering and shipping details

Category	22616-XVE OPTIMUM STACKLIGHTS
Discount Schedule	XV
GTIN	3389110673678
Returnability	Yes
Country of origin	FR

### Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	32.32 in (82.100 cm)
Package 1 Width	2.76 in (7.000 cm)
Package 1 Length	2.76 in (7.000 cm)
Package 1 Weight	10.72 oz (304.000 g)
Unit Type of Package 2	P12
Number of Units in Package 2	50
Package 2 Height	17.52 in (44.500 cm)
Package 2 Width	31.50 in (80.000 cm)
Package 2 Length	47.24 in (120.000 cm)
Package 2 Weight	61.40 lb(US) (27.850 kg)


## Offer Sustainability

Sustainable offer status	Green Premium product
California proposition 65	WARNING: This product can expose you to chemicals including: Lead and lead compounds, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to <a href="http://www.P65Warnings.ca.gov">www.P65Warnings.ca.gov</a>
REACH Regulation	<a href="#">REACH Declaration</a>
EU RoHS Directive	Pro-active compliance (Product out of EU RoHS legal scope)
Mercury free	Yes
China RoHS Regulation	<a href="#">China RoHS Declaration</a>
RoHS exemption information	<a href="#">Yes</a>
Environmental Disclosure	<a href="#">Product Environmental Profile</a>
Circularity Profile	No need of specific recycling operations

## Contractual warranty

Warranty	18 months
----------	-----------

Dimensions and Mounting



Height under base unit	
b in mm	b in in.
780	30.71

---

Panel Cut-Out

---

