GBK0801003F

adaptation kit, Lexium, GBK, size 80, 31mm, for assembly motor and gearbox





Main

Range Compatibility	Lexium 52 Lexium 62 Lexium 32 Lexium 32i Lexium 62 ILM	
Product or Component Type	Adaptation kit	
Device short name	GBK	
Accessory / separate part category	Adaptation accessory	
Product Compatibility	BMI ILM SH3 BMH BSH MH3	
Accessory / separate part destination	For assembly motor and gearbox	
Kit composition	A shaft end adaptor Screws and bolts for mounting An adaptor plate	
Gearbox external diameter	3.15 in (80 mm)	

Complementary

Motor flange size	3.94 in (100 mm)	
Number of motor stacks	1	
Trained of motor stacks	2	
	3	
Length	1.23 in (31.2 mm)	
Net Weight	0.99 lb(US) (0.45 kg)	

Ordering and shipping details

Category	18283-NEUGART GEARBOXES	
Discount Schedule	PC53	
GTIN	3606480397844	
Returnability	Yes	
Country of origin	DE	

Packing Units

PCE	
1	
3.15 in (8.000 cm)	
6.38 in (16.200 cm)	
7.01 in (17.800 cm)	
23.28 oz (660.000 g)	
P06	
50	
29.53 in (75.000 cm)	
23.62 in (60.000 cm)	
	1 3.15 in (8.000 cm) 6.38 in (16.200 cm) 7.01 in (17.800 cm) 23.28 oz (660.000 g) P06 50 29.53 in (75.000 cm)

Package 2 Length	31.50 in (80.000 cm)	
Package 2 Weight	108.47 lb(US) (49.200 kg)	
Offer Sustainability		
Sustainable offer status	Green Premium product	
California proposition 65	WARNING: This product can expose you to chemicals including: Lead and lead compounds, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov	
REACh Regulation	[™] REACh Declaration	
EU RoHS Directive	Pro-active compliance (Product out of EU RoHS legal scope)	
Mercury free	Yes	
China RoHS Regulation	☐ China RoHS Declaration	
RoHS exemption information	₫Yes	
Environmental Disclosure	Product Environmental Profile	
Circularity Profile	No need of specific recycling operations	

Contractual warranty

PVC free


- Contraction from the contract of	-
Warranty	18 months

Yes

Product data sheet Dimensions Drawings

GBK0801003F

Dimensions



(1) Gearbox

Values in mm

а	С	Ø6	Ø7
31.2	100	M8	115

Values in in.

а	С	Ø6	Ø7
1.23	3.94.	M8	4.53