

Product Datasheet

Characteristic

ZCKD029

limit switch head ZCKD - steel roller
plunger with boot



Main

range of product	OsiSense XC
series name	Standard format
product or component type	Limit switch head
device short name	ZCKD
head type	Plunger head
product compatibility	XCKS XCKM XCKL
associated body	ZCKL5H7 ZCKSD31H29 ZCKMD31H7 ZCKLD35H7 ZCKMD37 ZCKS1H29 ZCKS9 ZCKM7H7 ZCKM1H7 ZCKM8H7 ZCKM8 ZCKMD35H29 ZCKLD37 ZCKS5H29 ZCKLD37H7 ZCKM1 ZCKM5H29 ZCKM6H7 ZCKLD35 ZCKS2H29 ZCKM9H29 ZCKS1 ZCKSD39H29 ZCKSD39 ZCKS5 ZCKL6H7 ZCKS6 ZCKMD35 ZCKL8H7 ZCKS9H29 ZCKM1H29 ZCKSD37 ZCKL1 ZCKMD31 ZCKM7H29 ZCKM7

ZCKSD35
 ZCKMD39
 ZCKLD39
 ZCKL5
 ZCKS8H29
 ZCKLD31
 ZCKM5
 ZCKMD39H7
 ZCKSD37H29
 ZCKMD37H7
 ZCKL7H7
 ZCKSD31
 ZCKL8
 ZCKL7
 ZCKS7
 ZCKS7H29
 ZCKMD31H29
 ZCKM6
 ZCKS2
 ZCKLD39H7
 ZCKS6H29
 ZCKMD37H29
 ZCKMD39H29
 ZCKM5H7
 ZCKM9
 ZCKMD35H7
 ZCKLD31H7
 ZCKM6H29
 ZCKS8
 ZCKL1H7
 ZCKSD35H29
 ZCKL6
 ZCKM8H29

movement of operating head	Linear
type of operator	Roller plunger spring return metal with protective boot)
type of approach	Lateral approach, 2 directions

Complementary

switch actuation	By 30° cam
positive opening	With
head material	Plastic

Environment

ambient air temperature for operation	-13...158 °F (-25...70 °C)
ambient air temperature for storage	-40...158 °F (-40...70 °C)
environmental characteristic	Standard environment

Offer Sustainability

Sustainable offer status	Green Premium product
EU RoHS Directive	Pro-active compliance (Product out of EU RoHS legal scope)
Mercury free	Yes
RoHS exemption information	Yes
Environmental Disclosure	ENVPEP110614EN