




OCTAGON CEILING BOX

B1

NON-METALLIC BOXES





2027FBAR



2027R

Fixture/cover screws pre-installed and backed out




Offset mounting wings


Star shape openings



Fasten box through the strap when bottom mounting or locate box centre using a longer screw




Ground screws positioned in-line



Continuous ground strap moulded in place

Integrated nail guide



Breakaway tabs



KEY FEATURES



- Superior mounting methods to accommodate screws and/or nail installation. The box provides flexibility by offering universal mounting brackets, with screw and nail guides.
- Ground screw spacing positioned in line with wire entry. Easy to wrap ground wires with fingers or pliers.
- Advanced overmoulded ground strap retention for better support.
- A full 'u' shaped ground strap that improves mechanical performance and continuous ground.
- Engineered with pre-installed device mounting screws 2 of 8 - 32" x 1" allows quicker installations.
- Bottom ground screw location complete with two green ground screws to accommodate quick installation.
- Large cubic capacity – 27" cubic capacity allows ease to terminate and accommodate conductors, wire nuts and grounding.
- Centering V notches saves installation time by assuring consistent proper box positioning.
- 4 oversize 1/2" drywall breakaway tabs with score lines.
- 2 x 45° mounting holes are located inside and closed off giving the installer more mounting options.
- Star shape openings to secure and hold screws or nails in place while working overhead.

*Patent Pending



APPLICATION

Accommodates wiring devices such as switches and receptacles.

PRODUCT FEATURES

- Self-clamping wire entry tabs

STANDARD MATERIAL

- Molded from high-strength plastic resin



2001R



2021R



2002R



2003R



2027R



2006R



2016R



2014R

CATALOGUE NUMBER	CAPACITY (CU. IN)	DESCRIPTION	CABLE CLAMPS
Device Boxes - For use with non-metallic sheathed cable			
2001R	18.0	1-gang with flush bracket, 1/2" setback	4
2021R	18.0	1-gang with compact mounting bracket, 1/2" setback	4
2002R	37.0	2-gang with flush bracket, 1/2" setback	8
2003R	54.0	3-gang with flush bracket, 1/2" setback	12
4" Round Ceiling Box - For use with non-metallic sheathed cable			
2027R*	27.0	Round box with flush bracket, 1/2" setback	4
Stove/Dryer Box - For use with non-metallic sheathed cable			
2006R	42.0	stove/dryer box, 1/2" setback	1/2"(2), 3/4"(1)
Trailer Box - For use with non-metallic sheathed cable			
2016R	17.0	1-gang, Trailer Box	2014R
2014R	-	Fast Wire Clamp for Trailer Box	-

*Patent Pending



NON-METALLIC BOXES

B3**NON-METALLIC BOXES**

APPLICATION


Vapour barrier boxes prevent unwanted penetration of exterior air and help maintain the existing interior environment from elements outside of the structure. Accommodates wiring devices such as switches and receptacles.

PRODUCT FEATURES

- Self-clamping wire entry tabs
- Vapour/air barrier flange and integral wire entry seal provides superior energy savings and quick installation.

STANDARD MATERIAL

- Molded from high-strength plastic resin.



2011FBAR



2002FBAR



2003FBAR



2027FBAR*



2006FBAR

CATALOGUE NUMBER		CAPACITY (CU. IN)	DESCRIPTION	CABLE CLAMPS
Device Boxes - For use with non-metallic sheathed cable				
Flanged w/ Vapour Barrier	Flanged Only			
2011FBAR	2011F	18.0	1-gang with flush bracket, 1/2" setback	4
2002FBAR	2002F	37.0	2-gang with flush bracket, 1/2" setback	8
2003FBAR	2003F	54.0	3-gang with flush bracket, 1/2" setback	12
4" Round Ceiling Box - For use with non-metallic sheathed cable				
Flanged w/ Vapour Barrier	Flanged Only			
2027FBAR*	2027F*	27.0	Round box with flush bracket, 1/2" setback	4
Stove/Dryer Box - For use with non-metallic sheathed cable				
Flanged w/ Vapour Barrier	Flanged Only			
2006FBAR	2006F	42.0	stove/dryer box, 1/2" setback	1/2"(2), 3/4"(1)

*Patent Pending

