

Specifications

Eaton E1016-1605S

Eaton Crouse-Hinds series Cam-Lok J Series E1016 insulated receptacle, Up to 400A continuous, #6 AWG-250 kcmil, White, Male, Thermoplastic elastomer (TPE), 1-1/8", Threaded stud, 600 Vac/dc



Photo is representative



General specifications

PRODUCT NAME	Eaton Crouse-Hinds series Cam-Lok J Series E1016 insulated receptacle
CATALOG NUMBER	E1016-1605S
PRODUCT LENGTH/DEPTH	3.69 in
PRODUCT HEIGHT	2.25 in
PRODUCT WIDTH	2.25 in
PRODUCT WEIGHT	0.63 lb



Powering Business Worldwide

Certifications and compliances	
AREA CLASSIFICATION	Ordinary/Non-Hazardous Locations
STANDARDS TYPE	NEC/CEC
NEMA RATING	3R

Product specifications	
CABLE SIZE	#6 AWG-250 kcmil
AMPERAGE RATING	Up to 400A Continuous
VOLTAGE RATING	600 Vac/dc
MATERIAL	Thermoplastic elastomer (TPE)
TYPE	Threaded stud
GENDER	Male
COLOR	White
RECEPTACLE THREADED STUD SIZE	1-1/8"

Resources	
BROCHURES	Cam-Lok Single Pole Plugs and Receptacles catalog
CATALOGUES	Cam-Lok J Series Single Pole Plugs and Receptacles catalog page
INSTALLATION INSTRUCTIONS	IM 1004 - Cam-Lok E1016 and E1018 Double Set Screw
	EB 141 - Cam-Lok E1015 and E1016 Molded to Cable Connectors
	EB 9 - Cam-Lok E1016 and E1018 Connectors
	IM 1039 - Cam-Lok E1016 and E1018 Panel Mount Receptacles
SPECIFICATIONS AND DATASHEETS	Eaton Specification Sheet - E1016-1605S

PROJECT NAME:
PROJECT NUMBER:
PREPARED BY:
DATE:



Eaton Corporation plc

Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2025 Eaton. All Rights
Reserved.

Eaton is a registered trademark.

All other trademarks are property of
their respective owners.

Follow us on social media to get the latest
product and support information.

